

List of Publications, Dr. Christian Stoll:

- Schelling G, Stoll C, Haller M, Briegel J, Manert W, Hummel T, Lenhart A, Heyduck M, Polasek J, Meier M, Preuss U, Bullinger M, Schüffel W, Peter K: Health-Related Quality of Life and Post-Traumatic Stress Disorder in Survivors of the Acute Respiratory Distress Syndrome (ARDS). *Crit. Care Med.* 25:651-659 (1998) (s. Editorial)
- Loscar M, Schelling G, Haller M, Stoll C, Kreimeier U, Finsterer U, Steitz HO, Baumeister R, Kimmig R, Grabein B, Briegel J: Group A streptococcal toxic shock syndrome with severe Necrotizing fasciitis following hysterectomy – a case report. *Intensive Care Med* 24: 190-193 (1998).
- Stoll C, Haller M, Briegel J, Meier M, Manert W, Heyduck M, Lenhart A, Polasek J, Bullinger M, Schelling G: Gesundheitsbezogene Lebensqualität von langzeitüberlebenden, erwachsenen Patienten mit ARDS nach extrakorporaler Membranoxigenation (ECMO). *Anaesthesist* 47:24-29 (1998).
- Stoll C, Kapfhammer HJ, Rothenhäusler HB, Haller M, Briegel J, Krauseneck T, Durst K, Schelling G: Validation of a questionnaire to document traumatic memories and to diagnose Post-Traumatic Stress disorder in patients after intensive care. *Int. Care Med* 25: 697–704 (1999)
- Schelling G, Stoll C, Kapfhammer HP, Rothenhäusler HB, Krauseneck T, Durst K, Haller H, Briegel J: The effect of stress doses of hydrocortisone during septic shock on post-traumatic stress disorder and health-related quality of life in survivors. *Crit Care Med* (1999) (in press).
- Schelling G, Stoll C, Meier M, Haller M, Briegel J, Schüffel W, Peter K. The incidence of post-traumatic stress disorder in patients after intensive care treatment for severe ARDS. *Br J Anesth.* 76 (Suppl. 2): A.17, 1996.
- Schelling G, Stoll C, Wichmann A, Haller M, Schüffel W, Briegel J: The Effect of Hydrocortison during Septic Shock on Post-Traumatic Stress Disorder in Survivors. *Intensive Care Med* 23 Suppl. 1:S176 (1997)
- Schelling G, Stoll C, Meier M, Haller M, Briegel J and Bullinger M. The effect of anxiety, respiratory distress or pain during ICU treatment on health related quality of life (HRQL) in survivors of severe ARDS. *Crit Care Med* 25 (1(Suppl.)):A95 (1997)
- Schelling G, Stoll C, Wichmann A, Haller H, Schüffel W, Briegel J: Hydrocortisone (HC) during Septic Shock: Effect on Post-Traumatic Stress Disorder (PTSD) and Emotional Well-Being in Survivors. *Anesthesiology* 87:A260 (1997)
- Schelling G, Stoll C, Vogelmeier C, Behr T, Haller M, Durst K, Krauseneck T, Briegel J: Pulmonary Function and Health-Related Quality of Life in Long Term Survivors of ARDS. *Intensive Care Med* 24:S70 (1998).

- Schelling G, Stoll C, Wichmann A, Haller M, Schüffel W, Briegel J: The effect of hydrocortisone during septic shock on incidence and intensity of post-traumatic stress disorder in long term survivors. Crit Care Med 26 Suppl.: A131 (1998)
- Schelling G, Stoll C, Haller M, Kapfhammer HP, Rothenhäusler HB, Krauseneck T, Durst K, Briegel J: The Effect of Hydrocortisone During Septic Shock on Post – Traumatic Stress Disorder (PTSD) in Survivors. Anesthesiology 89: A419, (1998)
- Stoll C, Schelling G, Haller M, Briegel J, Schade B, Schüffel W: Posttraumatisches Stress Syndrom (PTSS) nach Langzeitintensivtherapie des ARDS. Intensivmed 32:53 (1995)
- Stoll C, Schelling G, Haller M, Briegel J, Schade B and Schüffel W. The incidence of post traumatic stress disorder (PTSD) after prolonged intensive care treatment for severe ARDS. Anesthesiology 83:A 1105 (1995)
- Stoll C, Schelling G, Bullinger M, Haller M, Briegel J, Schade B and Schüffel W. Quality of life after prolonged intensive care treatment for acute lung failure. Quality of Life Research 4(5): 491-492 (1995)
- Stoll C, Schelling G, Haller M, Briegel J, Schade B, Schüffel W: The incidence of post traumatic stress disorder (PTSD) after prolonged intensive care treatment for severe ARDS. Anesthesiology 83:A 1105 (1995)
- Stoll C, Schelling G, Bullinger M, Haller M, Briegel J. Quality of life in long-term survivors of severe ARDS. Br J Anesth 76 (Suppl. 2): A.16 (1996)
- Stoll C, Schelling G, Bullinger M, Haller M, Kilger e, Briegel J, Peter K. Quality of Life After ARDS: A Case Controlled Study. Anesthesiology 85: A 289 (1996)
- Stoll C, Haller M, Briegel J, Bullinger M, Schelling G: Anxiety, Respiratory Distress, or Pain during ICU – Treatment of severe Pulmonary Failure: Effects on Health-Related Quality of Life in Survivors. Quality of Life Research 6:728 (1997)
- Stoll C, Schelling G, Wichmann A, Bullinger M, Haller M, Briegel J: Health-Related Quality of Life in Long-Term Survivors of Septic Shock. Intensive Care Med 23 Suppl. 1:S148 (1997)
- Stoll C, Kapfhammer HP, Haller M, Briegel J, Rothenhäusler HB, Krauseneck T, Durst K, Schelling G: A new Questionnaire to diagnose and quantify emotional instability and post-traumatic stress disorder (PTSD) in patients after ICU treatment. Intensive Care Med 24:S70 (1998)
- Stoll C, Kapfhammer HP, Haller M, Briegel J, Rothenhäusler HB, Krauseneck T, Durst K, Schelling G: Validation of a Questionnaire to Diagnose Post Traumatic Stress Disorder (PTSD) after Intensive Care Treatment.

Anesthesiology 89: A379 (1998)

- Schelling G, Stoll C, Wichmann A, Haller H, Schüffel W, Briegel J: Hydrocortisone (HC) during Septic Shock; Effect on Post-Traumatic Stress Disorder (PTSD) and Emotional Well-Being in Survivors. American Society of Anesthesiologists Meeting, San Diego 1997
- Schelling G, Stoll C, Vogelmeier C, Behr T, Haller M, Durst K, Krauseneck T, Briegel J: Pulmonary Function and Health – Related Quality of Life in Long Term Survivors of ARDS. European Society of Critical Care Meeting, Stockholm 1997
- Schelling G, Stoll C, Wichmann A, Haller M, Schüffel W, Briegel J: The effect of hydrocortisone during septic shock on incidence and intensity of post – traumatic stress Society of Critical Care Medicine Meeting, San Diego, 1997.
- Schelling G, Stoll C, Wichmann A, Haller M, Schüffel W, Briegel J: The effect of hydrocortisone during septic shock on incidence and intensity of post – traumatic stress disorder in long term survivors. Society of Critical Care Medicine Meeting, San Antonio, USA, 1998
- Schelling G, Stoll C, Haller M, Kapfhammer HP, Rothenhäusler HB, Krauseneck T, Durst K, Briegel J: The Effect of Hydrocortisone During Septic Shock on Post – Traumatic Stress Disorder (PTSD) in Survivors. American Society of Anesthesiologists Meeting, Orlando, USA. Oktober 1998